



{In Archive} Fw: Our meeting on 4/2

Philip Crocker to: Renea Ryland
Cc: Patrick Rankin, Russell Nelson, Matt Hubner

03/31/2010 04:25 PM

From: Philip Crocker/R6/USEPA/US
To: Renea Ryland/R6/USEPA/US@EPA
Cc: Patrick Rankin/R6/USEPA/US@EPA, Russell Nelson/R6/USEPA/US@EPA, Matt Hubner/R6/USEPA/US@EPA
Archive: This message is being viewed in an archive.

Renea, this concerns the meeting on Coffee Creek and Mossy Lake, AR. ADEQ and Georgia Pacific will be meeting with Miguel and several of us on Friday. No time specified, but wanted to give you a heads up. Will keep you posted if I hear more. Thanks,
Phil

----- Forwarded by Philip Crocker/R6/USEPA/US on 03/31/2010 04:21 PM -----



Fw: Our meeting on 4/2

Jane Watson to: Philip Crocker, Charlie Howell

03/29/2010 02:09 PM

Jane B. Watson, Ph.D.
Associate Director
Water Quality Protection Division
EPA Region 6
214 665 6653

----- Forwarded by Jane Watson/R6/USEPA/US on 03/29/2010 02:09 PM -----



RE: Our meeting on 4/2

Benefield, Ryan to: Miguel Flores

03/29/2010 01:32 PM

Cc: Claudia Hosch, Jane Watson, William Honker

Sounds Great

I have attached our preliminary and informal comments on the Town Branch TMDL in preparation for the meeting on Friday.

Thanks

Ryan

From: Flores.Miguel@epamail.epa.gov [mailto:Flores.Miguel@epamail.epa.gov]

Sent: Monday, March 29, 2010 10:47 AM

To: Benefield, Ryan

Cc: Hosch.Claudia@epamail.epa.gov; Watson.Jane@epamail.epa.gov; Honker.William@epamail.epa.gov

Subject: RE: Our meeting on 4/2

Thanks, Ryan. Yes, we're equipped for a ppt in my conference room. A flash drive will work fine or the could email me a copy as a redundancy in case there's a problem, which I don't anticipate.

I don't know what your schedule looks like and whether you were able to set something up with OECA folks. We have finished our review of the Springdale-Rogers study and we can give you a short ppt on our findings, if you'd like.

Miguel

MIGUEL I. FLORES
Director, Water Quality Protection Division
U.S EPA, Region 6 (6WQ)
1445 Ross Avenue
Dallas, TX 75202-2733
214-665-7101 -- 214-665-7373 (FAX) -- 214-789-1818 (Cell)

From: "Benefield, Ryan" <benefield@adeq.state.ar.us>
To: Miguel Flores/R6/USEPA/US@EPA
Date: 03/29/2010 09:19 AM
Subject: RE: Our meeting on 4/2

Miguel

I hope to email the Town Branch comments to you later today. I apologize for the delay.

For Fridays meeting, GP would like to give a small PowerPoint presentation. Is the room equipped with a computer and a projector? Lastly GP's attorney says that Myron Knudsen worked on the original UAA and might be able to add value to the meeting. I will leave it up to you to determine if Myron is needed.

Thanks

Ryan

-----Original Message-----
From: Flores.Miguel@epamail.epa.gov
[mailto:Flores.Miguel@epamail.epa.gov]
Sent: Wednesday, March 24, 2010 10:28 AM
To: Benefield, Ryan
Subject: Re: Our meeting on 4/2

Thanks, and. I appreciate your staff's efforts given the current workload on different fronts.

Miguel

Miguel Flores, Director
Water Quality Protection Div

EPA Region 6
214-665-7101 (w)
214-789-1818 (c)

Sent by EPA Wireless E-Mail Services

----- Original Message -----

From: "Benefield, Ryan" [benefield@adeq.state.ar.us]
Sent: 03/24/2010 09:24 AM EST
To: Miguel Flores
Subject: RE: Our meeting on 4/2

Most likely we would need no more than 1 hour on town branch. As far as time we could continue to meet after the GP discussion is over and either go get lunch or just leave for lunch once we are complete. We may even be meeting with the OECA folks in the afternoon. Currently we do not fly back till 3:30 PM and may even move that until 6:00PM. We are hoping to have comments completed by Friday and I will email them to you once they are complete. The holdup is we are also trying to complete the 309d list and 305b report to meet the April 1 submittal date.

Thanks

Ryan

-----Original Message-----

From: Flores.Miguel@epamail.epa.gov
[<mailto:Flores.Miguel@epamail.epa.gov>]
Sent: Wednesday, March 24, 2010 9:17 AM
To: Benefield, Ryan
Subject: Our meeting on 4/2

Ryan, how much time should we allot to our Town Branch discussion? Are you u adjusting ur time for this? Will u have comments in by this week?

Miguel

Miguel Flores, Director
Water Quality Protection Div
EPA Region 6
214-665-7101 (w)
214-789-1818 (c)

Sent by EPA Wireless E-Mail Services

[attachment "TownBranchTMDL2 FINAL.doc" deleted by Philip Crocker/R6/USEPA/US]